

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	47	network near2 (pathway or conect\$3) same (secur\$4 or key or digital certificate or code or hash\$3) and address with (IP or rout\$3 or MAC or gateway or port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S2	195	secur\$4 same (key or digital certificate or code or hash \$3) and address with (IP or rout\$3 or MAC or gateway or port) and (media with (exchange or demand or transfer) same TV)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S3	159	peer-to-peer and media exchange and authenticat\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S4	1096	(709/222).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42
S5	246	S4 and authenticat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S6	91	(key or digital certificate or hash\$3) with connection and address with (IP or rout \$3 or MAC or gateway or port) and ("725"/\$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S7	139	(peer-to-peer or peer to peer) and TV and authenticat\$4 with certifi\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S8	2	("5794116").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42

S9	8	("20020154635"   "20020198840"   "20030002496"   "20030014541"   "20030079121"   "20040148439"   "6526581"   "7079499").PN	US-PGPUB; USPAT	ADJ	ON	2009/03/02 09:42
S10	157	(726/2).ccls. and authenticat \$3 and ("709"/\$).ccls. and (certificate or code or key or id or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S11	13	(peer-to-peer or peer to peer) and authenticat\$4 with certifi\$4 and (digital certificate or user with (pin or password) or hash\$3) and ("725"/\$).ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S12	88	(peer-to-peer or peer to peer) and authenticat\$4 with certifi\$4 and (digital certificate or session key with time) and ("726"/\$). ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S13	5	(726/10).ccls. and clearing house and certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S14	9	(726/10).ccls. and (clearing house or clearinghouse) and certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S15	2	((("6226618") or ("7404084"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/03/02 09:42
S16	393	(726/10).ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S17	4	((("5987232") or ("5841970") or ("5706427"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42
S18	118	(713/155).ccls. and certificate with authority and (home or residence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S19	62	(public with private with (key or code or encrypt\$3)) and ("725"/\$).ccls. and ((verifi\$3 or certificat\$3) with (authority or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42

S20	45	home with ((video or media) distribution or (video or media) shar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S21	15	("20010011238"   "4200770"   "4757534"   "5365589"   "5629980"   "6209103"   "6236971"   "6367019"   "6398245"   "6587837").PN. OR ("6865555").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S22	2	("20020143885").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42
S23	5	("20020104099"   "6631523"   "6721955"   "6868452"   "7146632").PN.	US-PGPUB; USPAT	ADJ	ON	2009/03/02 09:42
S24	16	("20010049720"   "20020032019"   "4937866" "5534911"   "5850218"   "6025837"   "6081263"   "6208746"   "6446080"   "6477704"   "6486920"   "6526411"   "6670971"   "6774926").PN. OR ("7103905").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S25	69	(726/10).ccls. and authentica\$3 and (public with private with (key or code or encrypt\$3)) and ((verif\$3 or certificat\$3) with (authority or server)) and (IP or MAC or routing address)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:42
S26	2	("20010037461").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42

S27	40	(US-20020154892-\$ or US-20020073245-\$ or US-20050076363-\$ or US-20020184351-\$ or US-20040235521-\$ or US-20020099842-\$ or US-20030214955-\$ or US-20030097655-\$ or US-20020044658-\$ or US-20020143959-\$ or US-20020178264-\$ or US-20040133914-\$ or US-20020154635-\$ or US-20040148439-\$ or US-20010037461-\$ or US-20020035723-\$ or US-20030066091-\$ or US-20020143885-\$).did. or (US-6665706-\$ or US-6269394-\$ or US-5956716-\$ or US-6804777-\$ or US-7296074-\$ or US-7305492-\$ or US-7302487-\$ or US-7299294-\$ or US-7207063-\$ or US-6928656-\$ or US-6732179-\$ or US-7142503-\$ or US-6865555-\$ or US-6170060-\$ or US-5675647-\$ or US-5987232-\$ or US-7103770-\$ or US-7404084-\$ or US-5841970-\$ or US-6157721-\$ or US-7174368-\$ or US-6774926-\$).did.	US-PGPUB; USPAT	ADJ	ON	2009/03/02 09:42
S28	2	("20030177249").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42
S29	106	password same (valid with ((ip or routing) with address \$3)) and (@rlad<"20021211" or @ad<"20021211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S30	22	password same (valid with ((ip or routing) with address \$3)) and (@rlad<"20021211" or @ad<"20021211") and public with (key or certificate or code or pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42

S31	2	("20030177249").pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S32	2	("20030177249").pn. and assign\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S33	2	("20030177249").pn. and renewal packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S34	2	("6774926").pn. and channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S35	75	DHCP with IP with (store or save) and (authoriz\$3 and authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S36	189	DHCP with IP with (store or save) and (@rlad<"20021211" or @ad<"20021211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S37	15	DHCP with IP with (store or save) and (@rlad<"20021211" or @ad<"20021211") and shar \$3 with (key or code or pin or password or certificate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S38	24	DHCP with IP with (store or save) and (@rlad<"20021211" or @ad<"20021211") and (shar \$3 or public) with (key or code or pin or password or certificate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42

S39	203	(@rlad<"20021211" or @ad<"20021211") and (shar \$3 or public) with (key or code or pin or password or certificate) and multiple with (user or client) and ("725"/\$) ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S40	5	(@rlad<"20021211" or @ad<"20021211") and (shar \$3 or public) with (key or code or pin or password or certificate) and multiple with (user or client) with (authentication or authorization) and ("725"/\$). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S41	40	(@rlad<"20021211" or @ad<"20021211") and (shar \$3 or public) with (key or code or pin or password or certificate) and multiple with (user or client) with (authentication or authorization) and ("726"/\$). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S42	408	out-of-band with (authentication or authorization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S43	27	out-of-band with (authentica\$3 or authorizat \$3) with (telephone or phone or PSTN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S44	8	out-of-band with (authentica\$3 or authorizat \$3) with authority	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:42
S45	2	("7246236").PN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 09:42
S46	5	(US-20020004832-\$ or US-20030177249-\$) did. or (US-6182094-\$ or US-6774926-\$ or US-6934858-\$) did.	US-PGPUB; USPAT	ADJ	ON	2009/03/02 09:42

S47	219	(726/10).ccls. and authenticat\$3 and (@rlad<"20021211" or @ad<"20021211")	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/02 09:47
S48	164	S4 and authenticat\$4 and (@rlad<"20021211" or @ad<"20021211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 09:48
S49	51	(US-20020154892-\$ or US-20020073245-\$ or US-20050076363-\$ or US-20020184351-\$ or US-20040235521-\$ or US-20020099842-\$ or US-20030214955-\$ or US-20030097655-\$ or US-20020044658-\$ or US-20020143959-\$ or US-20020178264-\$ or US-20040133914-\$ or US-20020154635-\$ or US-20040148439-\$ or US-20010037461-\$ or US-20020035723-\$ or US-20030066091-\$ or US-20020143885-\$ or US-20030140252-\$ or US-20030177249-\$ or US-20020004832-\$ or US-20010019559-\$ or US-20030145073-\$ or US-20030037259-\$ or US-20030200431-\$ or US-20050268107-\$).did. or (US-20080109657-\$).did. or (US-6665706-\$ or US-6269394-\$ or US-5956716-\$ or US-6804777-\$ or US-7296074-\$ or US-7305492-\$ or US-7302487-\$ or US-7299294-\$ or US-7207063-\$ or US-6928656-\$ or US-6732179-\$ or US-7142503-\$ or US-6865555-\$ or US-6170060-\$ or US-5675647-\$ or US-5987232-\$ or US-7103770-\$ or US-7404084-\$ or US-5841970-\$ or US-6157721-\$ or US-7174368-\$ or US-6774926-\$ or US-6182094-\$ or US-6934858-\$).did.	US-PGPUB; USPAT	ADJ	ON	2009/03/02 09:49

3/ 3/ 2009 12:29:03 PM

C:\Documents and Settings\pryan1\My Documents\EAST\Workspaces  
\10675491\_013108\_081108\_030209.wsp